

Check-list of the Tenebrionidae (sensu stricto) from Madagascar (Coleoptera)¹

WOLFGANG SCHAWALLER

Abstract

A check-list of the Tenebrionidae (sensu stricto) from Madagascar (Coleoptera) is compiled, based on the literature and a few newly added records from the Natural History Museum in Stuttgart. Synanthropic species with worldwide distribution are not included in the present list of 719 species. Distributional patterns of the Malagasy tenebrionids are widely unknown.

Key words: Coleoptera, Tenebrionidae, check-list, bibliography, Madagascar.

Zusammenfassung

Eine Checkliste der Tenebrionidae (sensu stricto) von Madagaskar (Coleoptera) wird zusammengestellt, basierend auf der Literatur und einigen neueren Angaben aus dem Naturkundemuseum Stuttgart. Synanthrope Arten mit weltweiter Verbreitung sind in der Auflistung der insgesamt 719 Arten nicht enthalten. Verbreitungsmuster der Tenebrioniden auf Madagaskar sind weitgehend unbekannt.

Contents

1	Introduction	277
2	Check-list of species	278
3	References	287

1 Introduction

Tenebrionidae are one of the largest Coleoptera families occurring in all terrestrial habitats from the sea shore up to dry desert and steppe habitats in all altitudinal belts, and in all types of forests. So far, no attempt has been made to compile all tenebrionid species from Madagascar. Newly collected material induced me to fill up this gap. The present check-list contains all species and subspecies (but not infraspecific varieties) recorded from Madagascar in the world catalogue of GEBIEN (1936ff) and in subsequent publications. To avoid repetitions, the list of references does not contain the older references cited by GEBIEN. BATES (1879) and CHATANAY (1915) are nevertheless referred because these two papers especially treat Malagasy Tenebrionidae.

The order of the tribes follows GEBIEN's (1936ff) catalogue, the remaining taxa are listed alphabetically. In a few cases, I added unpublished records based on specimens from the Natural History Museum in Stuttgart (SMNS).

Tenebrionidae are considered herein in a historical (typological) sense, excluding the subfamily Alleculinae and those tribes of Lagriinae previously classified in the family Lagriidae. A modern classification of the

complete family was compiled by BOUCHARD et al. (2005). Although the present list contains a total of 719 species from Madagascar, it is far from being complete. Several taxonomic problems on the species level as well as on the genus level are still unsolved and several genera must be revised. Many new species are still hidden in the Malagasy forests (better: forest remnants) and await their description. Special collecting methods, particularly sifting and fogging, will surely significantly increase species numbers. It might also be possible that additional synanthropic species with worldwide distribution will be found on Madagascar.

Detailed distributional patterns of the Malagasy tenebrionids are mostly unknown. The members of this family display a high ecological plasticity. Several taxa are adapted to drier habitats while others are restricted to humid forests of all types. Thus, most of the tenebrionid species are surely not distributed over the whole island of Madagascar but show fragmentary distributional patterns. Some arboreal taxa might be considered as indicators for mature forests. Those are extremely threatened by the continuous cutting and burning of all forest types. Many species will probably be extinct before somebody could have discovered and described them.

¹ Contributions to Tenebrionidae, no. 83. – For no. 82 see: Stuttgarter Beiträge zur Naturkunde A, Neue Serie 3 (2010).

Acknowledgements

My colleagues FRIEDERIKE WOOG, KATHRIN MARQUART and DANIEL BARTSCH (all Stuttgart) and the Malagasy entomologist RANDRIAMANAITRA TAHIANA conducted ornithological, mammalogical and entomological field work in the Maromizaha Forest close to Andasibe (Perinet) in Madagascar. They were able to collect also some tenebrionids, waiting for identification and being the "kick" for compiling this list. Through the kind help of Mrs. OLGA RAVAOHANGIMALALA (Université d'Antananarivo) collection and export permits were granted by the Malagasy government (Direction de la Préservation de la Biodiversité). RUTH MÜLLER (Pretoria) kindly supplied me with literature from the library of the Transvaal Museum. Thanks are also due to the referees Prof. Dr. HANS J. BREMER (Melle-Wellingholzhausen) and Dr. ROLAND GRIMM (Tübingen) for their comments and corrections.

2 Check-list of species

Zophosini

Zophosis madagascariensis Deyrolle, 1867: CHATANAY (1915), GEBIEN (1936ff), KOCH (1962), ARDOIN (1969a), FERRER (1998).

Tentyriini incl. Epitragini

Craniosphena justi (Fairmaire, 1880): GEBIEN (1936ff), KOCH (1962) from *Himatismus*.
Himatismus buprestoides Gerstaecker, 1862: KOCH (1962), ARDOIN (1969a), FERRER (1998).
Himatismus fasciculatus (Fabricius, 1798): KOCH (1962), ARDOIN (1969a), FERRER (1998).
Mesostena infima Fairmaire, 1884: KOCH (1962) (imported).
Nothrocerus cylindricornis Fairmaire, 1887: GEBIEN (1936ff), KOCH (1962), FERRER (1998).
Paulianesthes amplipennis Koch, 1962: KOCH (1962).
Rhomaleus scauroides Chatanay, 1915: GEBIEN (1936ff), KOCH (1962), ARDOIN (1969a).

Adelostomini (= Eurychorini)

Brachyoschium androyanum Koch, 1962: KOCH (1962), FERRER (1998).
Brachyoschium ardoini Koch, 1962: KOCH (1962).
Brachyoschium betschi Dajoz, 1979: DAJOZ (1979).
Brachyoschium compactum Dajoz, 1982: DAJOZ (1982).
Brachyoschium girardi Dajoz, 1979: DAJOZ (1979).
Brachyoschium hexagonum Dajoz, 1985: DAJOZ (1985).
Brachyoschium minutus Dajoz, 1994: DAJOZ (1994), FERRER (1998).
Brachyoschium parvitarse Fairmaire, 1896: GEBIEN (1936ff), KOCH (1962).
Brachyoschium randriamasyi Koch, 1962: KOCH (1962).
Pogonobasis bisulcata Koch, 1952: KOCH (1962) (imported).

Stenosini

Anethas longiceps (Fairmaire, 1898): GEBIEN (1936ff), KOCH (1962).
Anethas pauliani Ferreira, 1955: FERREIRA (1955), KOCH (1962).
Anethas ranavalona Koch, 1962: KOCH (1962).
Anethas taitii Ferrer, 1998: FERRER (1998).
Anethas xylophila Koch, 1962: KOCH (1962), FERRER (1998).
Itampolis oceanica Koch, 1962: KOCH (1962).
Perdicus anthrophilus Fairmaire, 1899: GEBIEN (1936ff), KOCH (1962).

Asidini

Andremius crispatus Fairmaire, 1903: GEBIEN (1936ff), KOCH (1962).
Andremius latus Chatanay, 1912: GEBIEN (1936ff), KOCH (1962).
Andremius planatus Chatanay, 1912: GEBIEN (1936ff), KOCH (1962).
Andremiopsis costata Chatanay, 1912: GEBIEN (1936ff), KOCH (1962).
Asidesthes perrieri Fairmaire, 1900: GEBIEN (1936ff), KOCH (1962).
Bartolozzia hispida Ferrer, 1998: FERRER (1998).
Euryprosternum parallelum (Chatanay, 1912): GEBIEN (1936ff), KOCH (1962).
Euryprosternum asperulum (Fairmaire, 1900): GEBIEN (1936ff), KOCH (1962) from *Scotinesthes*.
Leptasida tenuipes Chatanay, 1914: GEBIEN (1936ff), KOCH (1962).
 ssp. *dimorpha* Koch, 1962: KOCH (1962).
 ssp. *humeralis* Koch, 1962: KOCH (1962).
Leptasida vadoni Koch, 1962: KOCH (1962).
Machleida nossibiana Fairmaire, 1897: KOCH (1962).
Millotella microcornis Koch, 1962: KOCH (1962).
Oxyge rugosa Chatanay, 1914: GEBIEN (1936ff), KOCH (1962).
Prosodidius perrieri Fairmaire, 1903: GEBIEN (1936ff), KOCH (1962), FERRER (1998).
Pseudasida ankaratra Koch, 1962: KOCH (1962).
Pseudasida obesa Fairmaire, 1895: GEBIEN (1936ff), KOCH (1962).
Pseudasida pannosa Fairmaire, 1898: GEBIEN (1936ff), KOCH (1962).
Pseudasida peyrierasi Ferrer, 1998: FERRER (1998).
Scotinesthes acuticosta Fairmaire, 1895: GEBIEN (1936ff), KOCH (1962).
 ssp. *ambatolampyensis* Koch, 1962: KOCH (1962).
 ssp. *perinetensis* Koch, 1962: KOCH (1962).
Scotinesthes akisoides Koch, 1962: KOCH (1962).
Scotinesthes anosyensis Ardoin, 1976: ARDOIN (1976).
Scotinesthes antavarus (Ancey, 1883): GEBIEN (1936ff), KOCH (1962).
Scotinesthes ardoini Koch, 1962: KOCH (1962).
Scotinesthes asidinus Fairmaire, 1899: GEBIEN (1936ff), KOCH (1962).
Scotinesthes betschi Ardoin, 1974: ARDOIN (1974b).
Scotinesthes costulatus (Fairmaire, 1895): KOCH (1962) from *Paracatus*, FERRER (1998).
Scotinesthes descarpentriesi Ardoin, 1974: ARDOIN (1974b).
 ssp. *andrianoniensis* Ardoin, 1974: ARDOIN (1974b).
Scotinesthes dorsoplicatus (Fairmaire, 1903): GEBIEN (1936ff), KOCH (1962) from *Paracatus*.
Scotinesthes inciscollis (Fairmaire, 1901): GEBIEN (1936ff), KOCH (1962) from *Paracatus*.
Scotinesthes interruptus (Fairmaire, 1901): GEBIEN (1936ff), KOCH (1962) from *Paracatus*.
Scotinesthes machloides (Fairmaire, 1901): GEBIEN (1936ff), KOCH (1962).
Scotinesthes meridionalis Ardoin, 1976: ARDOIN (1976).
Scotinesthes montanus Koch, 1962: KOCH (1962).
Scotinesthes pauliani Koch, 1962: KOCH (1962), ARDOIN (1974b).
Scotinesthes plicatulus Fairmaire, 1900: GEBIEN (1936ff), KOCH (1962) from *Paracatus*.
Scotinesthes puncticeps Koch, 1962: KOCH (1962).
Scotinesthes subalpinus Koch, 1962: KOCH (1962).
Scotinesthes unicostatus Dajoz, 1982: DAJOZ (1982).
Scotinesthes voeltzkowi (Wilke, 1921): GEBIEN (1936ff), KOCH (1962) from *Paracatus*.

Tamatasida elegans (Chatanay, 1914): GEBIEN (1936ff), KOCH (1962) from *Scotinessthes*.

Tamatasida tuberculosa (Fairmaire, 1897): GEBIEN (1936ff), KOCH (1962) from *Scotinessthes*.

Molurini

Glyptophrynus cordipennis Koch, 1962: KOCH (1962).

Glyptophrynus madecassus Fairmaire, 1901: GEBIEN (1936ff), KOCH (1962), FERRER (1998).

ssp. *pauliani* Koch, 1962: KOCH (1962).

Glyptophrynus ovipennis (Fairmaire, 1899): GEBIEN (1936ff), KOCH (1962), ARDOIN (1969a).

ssp. *serricostatus* Koch, 1962: KOCH (1962).

Glyptophrynus tenuesculptus (Fairmaire, 1899): GEBIEN (1936ff), KOCH (1962), ARDOIN (1969a), FERRER (1998).

Glyptophrynus voeltzkowi Wilke, 1921: GEBIEN (1936ff), KOCH (1962).

Platynotini

Clastopus aberlenci Iwan, 2005: IWAN (2005).

Clastopus eurynotoides Fairmaire, 1898: GEBIEN (1936ff), FERRER (1998), IWAN (2001, 2005).

Clastopus ordinarius (Iwan, 1996): IWAN (1996) as *Hovademulus*, (2001), (2005).

Clastopus tenuiculus (Iwan, 1996): IWAN (1996) as *Hovademulus*, (2001), (2005).

Doyenus dentatus Iwan, 1996: IWAN (1996).

Doyenus uncus Iwan, 1996: IWAN (1996).

Hovademus andringitrensis Ardoïn, 1974: ARDOIN (1974b), IWAN (1996).

Hovademus pauliani Ardoïn, 1974: ARDOIN (1974b, 1976), IWAN (1996).

Lechius abacoides (Fairmaire, 1902): GEBIEN (1936ff), IWAN (1995b).

Lechius madagascariensis (Iwan, 1998): IWAN (1998) as *Hovademulus*, (2001).

Lechius steineri Iwan, 1995: IWAN (1995b).

Madobalus rotundicollis Fairmaire, 1901: GEBIEN (1936ff), IWAN (1996).

Melanocratus fairmairei Iwan, 1996: IWAN (1996).

Melanocratus ferreri Iwan, 1996: IWAN (1996), FERRER (1998).

Melanocratus validipes Fairmaire, 1895: GEBIEN (1936ff), ARDOIN (1969a), IWAN (1996) (syn. *humerosus* Fairmaire, 1901), FERRER (1998) as *Styphacus humerosus*.

Phylacinus asperipennis Fairmaire, 1896: GEBIEN (1936ff), FERRER (1998), IWAN (2004b).

Phylacinus ferreri Iwan, 2004: IWAN (2004b).

Phylacinus peyrierasi Ardoïn, 1967: ARDOIN (1967), IWAN (2004b).

Pokryszkiella cornuta Iwan, 1996: IWAN (1996).

Sebastianus endroedyi Iwan, 1999: IWAN (1999).

Sebastianus madagascariensis Iwan, 1999: IWAN (1999).

Sebastianus magnus Iwan, 1996: IWAN (1996).

Sebastianus major (Fairmaire, 1899): GEBIEN (1936ff), IWAN (1996).

Sebastianus ovoideus (Fairmaire, 1902): GEBIEN (1936ff), ARDOIN (1969a), IWAN (1996), FERRER (1998).

Sebastianus projectus Iwan, 1996: IWAN (1996).

Sebastianus simplex Iwan, 1996: IWAN (1996).

Styphacus bartolozzii Iwan, 1996: IWAN (1996, 2004a), FERRER (1998).

Styphacus decorsei Fairmaire, 1901: GEBIEN (1936ff); IWAN (1996) (syn. *amplicollis* Fairmaire, 1902 and *convexicollis* Fairmaire, 1902), (2004a); FERRER (1998).

Styphacus drugmandi Iwan, 2004: IWAN (2004a).

Styphacus girardi Iwan, 2004: IWAN (2004a).

Styphacus iwani Ferrer, 2002: FERRER (2002), IWAN (2004a).

Styphacus kochi Iwan, 1996: IWAN (1996, 2004a).

Styphacus neuter (Fairmaire, 1902): GEBIEN (1936ff), IWAN (1996, 2004a).

Styphacus nimius Iwan, 1996: IWAN (1996, 2004a).

Styphacus pauliani Iwan, 2004: IWAN (2004a).

Styphacus phreneticus Iwan, 1996: IWAN (1996, 2004a).

Zidalus attenuatus (Klug, 1833): GEBIEN (1936ff), IWAN (1995a) from *Opatrinus*, FERRER (1998).

Zidalus insularis (Mulsant & Rey, 1853): IWAN (1995a) from *Opatrinus*, FERRER (1998).

Zidalus servus (Mulsant & Rey, 1853): IWAN (2002).

Opatrini

Adavius ovatulus Fairmaire, 1897: FERRER (1998) as *Cyptus*.

Adavius perrieri Fairmaire, 1903: GEBIEN (1936ff), FERRER (1998) as *Cyptus*.

Caedius nodieri Fairmaire, 1893: GEBIEN (1936ff).

Cheirodes sakalava Alluaud, 1900: GEBIEN (1936ff), ARDOIN (1971).

Cheirodes schmitzi (Ardoïn, 1971): ARDOIN (1971).

Gonocephalum alluaudi Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).

Gonocephalum alticola Chatanay, 1915 [Tanzania].

ssp. *nossibense* Ferrer, 1993: FERRER (1998).

ssp. *sechellense* Ferrer, 1993: FERRER (1998).

Gonocephalum angusticolle (Gerstaecker, 1855): FERRER (2000b).

Gonocephalum (Opatropis) blairi Gebien, 1922: ARDOIN (1969a), FERRER (2000b).

Gonocephalum chatanayi Gebien, 1939: CHATANAY (1915) as *persimile*, GEBIEN (1936ff) (syn. *persimile* Chatanay, 1915), FERRER (1998).

Gonocephalum dermestoides (Gerstaecker, 1871) [East Africa].
ssp. *pupieri* Chatanay, 1913: FERRER (2000b), SMNS det. FERRER.

Gonocephalum foveoseriatum Chatanay, 1915: GEBIEN (1936ff).

ssp. *rex* Ferrer, 1995: FERRER (2000b).

Gonocephalum kempsteri Ferrer, 2000: FERRER (2000b), SMNS det. FERRER.

Gonocephalum madagascariense Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).

ssp. *breve* Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), FERRER (2000b).

Gonocephalum mariei Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).

Gonocephalum marylinnae Ferrer, 2000: FERRER (2000a).

Gonocephalum micantipenne Fairmaire, 1893: CHATANAY (1915), GEBIEN (1936ff).

Gonocephalum peregrinum (Kolbe, 1902): GEBIEN (1936ff).

Gonocephalum simplex (Fabricius, 1801): GEBIEN (1936ff), FERRER (1998, 2000b).

Mesomorphus fulvosulcatus Fairmaire, 1898: GEBIEN (1936ff).

Mesomorphus villiger Blanchard, 1853: GEBIEN (1936ff), FERRER (1998).

Pachymastus asperulus Fairmaire, 1896: GEBIEN (1936ff).

Pachyterus girardi Ferrer, 2000: FERRER (2000a).

Plesioderes brevis Fairmaire, 1903: GEBIEN (1936ff) as *Caedius*, FERRER (1998).

Plesioderes coriaceus Mulsant & Rey, 1860: GEBIEN (1936ff).

Plesioderes freyi Ferrer, 1998: FERRER (1998).

- Plesioderes madagascariensis* Mulsant & Rey, 1859: GEBIEN (1936ff), ARDOIN (1969a).
Plesioderes oceanicus Ferrer, 1998: FERRER (1998).
Sulpius ardoini Koch, 1968: KOCH (1968), ARDOIN (1969a).
Sulpius chatanayi Koch, 1968: KOCH (1968), ARDOIN (1969a).
Sulpius gibbosus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Sulpius lilonus Koch, 1968: KOCH (1968).
Sulpius mirabilis Koch, 1968: KOCH (1968), ARDOIN (1969a).
Sulpius oblongulus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), ARDOIN (1969a).
Sulpius punctostriatus Fairmaire, 1906: GEBIEN (1936ff).
Sulpius spinulus Koch, 1968: KOCH (1968), ARDOIN (1969a), FERRER (1998).

Leichenini

- Leichenum variegatum* Klug, 1833: GEBIEN (1936ff), FERRER (1998).

Phaleriini

- Phaleria batesi* Fairmaire, 1875: GEBIEN (1936ff), ARDOIN (1969a).
Phaleria bigoti Ardoin, 1969: ARDOIN (1969a), FERRER (1998).
Phaleria pallida Lewis, 1894: ARDOIN (1969a).
Phaleria phalerata Chevrolat, 1878: FERRER (1998).
 ssp. *cinctipennis* Alluaud, 1896: GEBIEN (1936ff), ARDOIN (1969a).
Phaleria prolixa (Fairmaire, 1868): ARDOIN (1969a), FERRER (1998).

Heterocheirini

- Diphyrrhynchus aenescens* Fairmaire, 1892: ARDOIN (1969a).
Diphyrrhynchus effeminatus Gebien, 1922: SMNS det. SCHAWALLER.
Heterocheira ellipsodes (Fairmaire, 1901): GEBIEN (1936ff) as *Phaleria*, ARDOIN (1969a), FERRER (1998).

Trachyscelini

- Trachyscelis esquiveli* Koch, 1953: ARDOIN (1969a).

Crypticini

- Microcrypticus variegatus* Klug, 1833: GEBIEN (1936ff), SMNS det. SCHAWALLER.
Myrmecocatops latus Wasman, 1897: GEBIEN (1936ff).

Rhipidandriini

- Rhipidandrus borbonicus* (Fairmaire, 1880): MERKL & KOMPANTZEVA 1996.
Rhipidandrus madagascariensis (Lacordaire, 1866): GEBIEN (1936ff), doubtful taxon.

Gnathidini

- Anommabates griveaudi* Dajoz, 1977: DAJOZ (1977).
Anommabates kochi Bremer, 1997: BREMER (1997).
Anommabates lucidus Dajoz, 1982: DAJOZ (1982).
Anommabates pauliani Koch, 1956: KOCH (1956).
Anommabates peyrierasi Dajoz, 1982: DAJOZ (1982).
Caecochares cephalotes Koch, 1956: KOCH (1956), FERRER (1998).
Caecochares descarpentriasi Ardoin, 1974: ARDOIN (1974b).
Caecochares endroedyi Bremer, 2000: BREMER (2000).
Caecochares franzi Dajoz, 1972: DAJOZ (1972).

- Caecochares gigas* Dajoz, 1972: DAJOZ (1972).
Caecochares grjebinei Koch, 1956: KOCH (1956).
Caecochares hovanus Bremer, 2000: BREMER (2000).
Caecochares insularis Dajoz, 1977: DAJOZ (1977).
Caecochares intermedius Dajoz, 1982: DAJOZ (1982).
Caecochares janaki Bremer, 2000: BREMER (2000).
 ssp. *merinaensis* Bremer, 2000: BREMER (2000).
Caecochares kaszabi Bremer, 2000: BREMER (2000).
Caecochares merkli Bremer, 2000: BREMER (2000).
Caecochares meridionalis Dajoz, 1994: DAJOZ (1994), FERRER (1998).
Caecochares milloti Koch, 1956: KOCH (1956).
Caecochares pierrei Dajoz, 1972: DAJOZ (1972).
Caecochares robinsoni Koch, 1956: KOCH (1956).
Caecochares serripes Koch, 1956: KOCH (1956).
Caecochares subpunctus Koch, 1956: KOCH (1956).
Caecochares tibialis Bremer, 2000: BREMER (2000).

Diaperini

- Ceropria ellipsodes* Fairmaire, 1898: GEBIEN (1936ff).
Ceropria romandi Laporte & Brullé, 1831: GEBIEN (1936ff), FERRER (1998).
Cissides punctatissimus Fairmaire, 1869: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus bimaculatus Pic, 1915: GEBIEN (1936ff).
Heterophylus chatanayi Pic, 1915: GEBIEN (1936ff).
Heterophylus chrysomelinus Klug, 1833: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).
Heterophylus convexus Pic, 1921: GEBIEN (1936ff).
Heterophylus curtus Fairmaire, 1869: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).
Heterophylus goudoti Fairmaire, 1869: CHATANAY (1915), GEBIEN (1936ff), ARDOIN (1974b).
Heterophylus minutissimus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus minutus (Brancsik, 1893): ARDOIN (1958f) from *Enicmosoma*.
Heterophylus nitidus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus obesus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus pinguis Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus quadrimaculatus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus ruficeps Pic, 1921: GEBIEN (1936ff).
Heterophylus sikorai Pic, 1921: GEBIEN (1936ff).
Heterophylus similis Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Heterophylus subseriatus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Pentaphyllus angustior Fairmaire, 1897: GEBIEN (1936ff).
Pentaphyllus cornutus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).
Platydema atrum (Motschulsky, 1873): GEBIEN (1936ff), SCHAWALLER (2004).
Platydema aureolum Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998), SCHAWALLER (2004).
Platydema cavifrons (Fairmaire, 1895): CHATANAY (1915), GEBIEN (1936ff), SCHAWALLER (2004).
Platydema cercyonoides Fairmaire, 1880: GEBIEN (1936ff), FERRER (1998), SCHAWALLER (2004).
Platydema flavofasciatum Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), SCHAWALLER (2004).

Platydema inaequidens (Fairmaire, 1880): GEBIEN (1936ff), SCHAWALLER (2004).
Platydema metallicolle Pic, 1953: SCHAWALLER (2004).
Platydema nigellum Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), SCHAWALLER (2004).
Platydema palliditarse Laporte & Brullé, 1831: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998), SCHAWALLER (2004).
Platydema raharizoninai Ardoïn, 1965: SCHAWALLER (2004).
Platydema rufviolaceum Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), SCHAWALLER (2004).
Platydema tricornis Klug, 1833: GEBIEN (1936ff), FERRER (1998), SCHAWALLER (2004).

Leiochrinini

Leiochrodes hemisphaericus Guérin, 1857: GEBIEN (1936ff).
Leiochrodes vernicatus Fairmaire, 1898: GEBIEN (1936ff).

Phrenapatini

Exechophthalmus guillaumeti Ardoïn, 1974: ARDOIN (1974b).
Madagassa aphodina (Fairmaire, 1894): GEBIEN (1936ff) as *Pycna*, FERRER (1998).
Madagassa atra (Pic, 1926): ARDOIN (1976).
Madagassa canaliculata Ardoïn, 1974: ARDOIN (1974b), FERRER (1998).
Madagassa macrocephala Ardoïn, 1974: ARDOIN (1974b).
Pycna impressifrons Fairmaire, 1897: GEBIEN (1936ff).
Pycna minor Fairmaire, 1897: GEBIEN (1936ff).
Pycna sikorai Pic, 1926: GEBIEN (1936ff).
Pycnochilus advenus Waterhouse, 1879: GEBIEN (1936ff).
Tagalus cavifrons (Fairmaire, 1893): ARDOIN (1974b) from *Pycna*.

Ulomini

Alphitobius crenatus (Klug, 1833): GEBIEN (1936ff), FERRER (1998).
Alphitobius diaperinus (Panzer, 1797): SMNS det. SCHAWALLER.
Alphitobius limbalis Fairmaire, 1901: GEBIEN (1936ff).
Alphitobius grandis Fairmaire, 1897: GEBIEN (1936ff).
Astalbus longicollis Ardoïn, 1959: ARDOIN (1959b).
Astalbus scrobicollis Fairmaire, 1894: GEBIEN (1936ff), ARDOIN (1959b), HALSTEAD (1967), DAJOZ (1994), FERRER (1998).
Corticeus angustatus (Pic, 1914): GEBIEN (1936ff), BREMER (1985, 1987).
 ssp. *nigromaculatus* (Ardoïn, 1970): BREMER (1985).
Corticeus atalante Bremer, 1987: BREMER (1987).
Corticeus camelopardalis Bremer, 1987: BREMER (1987).
Corticeus dryas Bremer, 1987: BREMER (1987).
Corticeus ephippiatus (Gebien, 1911): GEBIEN (1936ff), BREMER (1985).
Corticeus gomyi Bremer, 1995: BREMER (1995), GOMY (2004) (erroneously described from Madagascar, type locality on Réunion).
Corticeus hovanus (Ardoïn, 1970): ARDOIN (1970), BREMER (1985).
Corticeus madecassus (Dajoz, 1994): DAJOZ (1994), FERRER (1998).
Corticeus merina Bremer, 1985: BREMER (1985), (1987).
Corticeus nemestrinus Bremer, 1985: BREMER (1985), (1987).
Corticeus nemosomoides (Fairmaire, 1897): GEBIEN (1936ff); BREMER (1985) (syn. *luteosignatus* Pic, 1945), (1987).
Corticeus perrieri (Fairmaire, 1899): GEBIEN (1936ff), BREMER (1985).
Corticeus rufosellatus (Fairmaire, 1880): GEBIEN (1936ff); ARDOIN (1970); BREMER (1985) (syn. *insellatus* Pic, 1914), (1987); FERRER (1998).
Corticeus subalutaceus (Pic, 1924): GEBIEN (1936ff), BREMER (1987) (syn. *radamai* Bremer, 1985).

Corticeus vadoni (Pic, 1945): BREMER (1985), (1987).
Corticeus validus (Fairmaire, 1893): BREMER (1985), (1987).
Corticeus vitiosus Bremer, 1987: BREMER (1987).
Eutochia cistelina Klug, 1833: GEBIEN (1936ff), FERRER (1998).
Eutochia opatrinoïdes Fairmaire, 1903: GEBIEN (1936ff), FERRER (1998).
Leptoscapa dimidiatipennis Fairmaire, 1880: GEBIEN (1936ff), FERRER (1998).
Leptoscapa spissicornis Fairmaire, 1884: GEBIEN (1936ff).
Lyphia madagascariensis Marseul, 1876: GEBIEN (1936ff).
Palorus cerylonoides (Pascoe, 1863): HALSTEAD (1967).
Palorus mahenus Gebien, 1922: HALSTEAD (1967), DAJOZ (1994), FERRER (1998).
Peltoïdes hovanus Fairmaire, 1898: GEBIEN (1936ff).
Prolabrus parallelus Fairmaire, 1897: GEBIEN (1936ff), ARDOIN (1959b), HALSTEAD (1967).
Tribolium alcinae Hinton, 1948: HINTON (1948).
Tribolium castaneum (Herbst, 1797): FERRER (1998).
Tribolium ceto Hinton, 1948: HINTON (1948), FERRER (1998).
Tribolium quadricollis (Fairmaire, 1902): HALSTEAD (1967), FERRER (1998) (syn. *dolon* Hinton, 1948).
Uloïdes (= *Martianus*, *Palembus*) *cinctellus* (Fairmaire, 1902): GEBIEN (1936ff).

Cosyphini

Cosyphus madecassus Fairmaire, 1896: GEBIEN (1936ff).

Eutelini

Eutelonotus decurtatus Fairmaire, 1880: GEBIEN (1936ff).
Eutelonotus echinatus Fairmaire, 1896: GEBIEN (1936ff).

Toxicini

Cryphaeus taurus Fabricius, 1801: GEBIEN (1936ff), FERRER (1998).

Tenebrionini

Athrodactyla attenuata Klug, 1833: GEBIEN (1936ff), FERRER (1998).
Athrodactyla elongata Klug, 1833: CHATANAY (1915), GEBIEN (1936ff).
Athrodactyla intermedia Fairmaire, 1868: GEBIEN (1936ff).
Athrodactyla longicollis Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).
Cedrosius calosomoides Fairmaire, 1902: GEBIEN (1936ff), ARDOIN (1958d).
Cedrosius coeruleus Fairmaire, 1903: GEBIEN (1936ff), ARDOIN (1958d).
Derosphaerus globicollis Thomson, 1858: GEBIEN (1936ff), ARDOIN (1957b).
Derosphaerus madecassus Ardoïn, 1957: ARDOIN (1957b).
Falsocalcar bicolor Pic, 1925: GEBIEN (1936ff).
Gridellia trivialis (Fairmaire, 1903): GEBIEN (1936ff) as *Villiersia*.
Lordodera quadrihamata (Fairmaire, 1875): CHATANAY (1915) as *Tenebrio*, GEBIEN (1936ff).
Ozaenimorphus angustior Fairmaire, 1896: GEBIEN (1936ff), ARDOIN (1965).
Ozaenimorphus costulipennis Fairmaire, 1882: GEBIEN (1936ff), ARDOIN (1965).
Ozaenimorphus curvipes Ardoïn, 1965: ARDOIN (1965).
Ozaenimorphus menephiloides Ardoïn, 1965: ARDOIN (1965).
Ozaenimorphus mocquersyi Ardoïn, 1965: ARDOIN (1965).
Poeciltoïdes alternans Fairmaire, 1896: GEBIEN (1936ff).
Satanocalcar cornutus Pic, 1925: GEBIEN (1936ff).
Strepsius spretulus Fairmaire, 1896: GEBIEN (1936ff).

Nycteropini

Macellocerus acuminatus (Klug, 1833): BATES (1879), GEBIEN (1936ff), FERRER (1998).
Macellocerus acutipennis Ferrer, 1998: FERRER (1998).
Macellocerus albignaci Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus ambalamanakanae Ferrer, 1998: FERRER (1998).
Macellocerus ambiguus Fairmaire, 1895: GEBIEN (1936ff).
Macellocerus anosyensis Ardoïn, 1976: ARDOÏN (1976).
Macellocerus approximatus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus atroaenescens Fairmaire, 1877: BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus batesi Ferrer, 1998: FERRER (1998).
Macellocerus blanci Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus connexus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus convexipennis Ardoïn, 1976: ARDOÏN (1976).
Macellocerus cyanicollis Ardoïn, 1976: ARDOÏN (1976).
Macellocerus descarpentriensi Ardoïn, 1976: ARDOÏN (1976).
Macellocerus dimidiatus Waterhouse, 1878: GEBIEN (1936ff).
Macellocerus distinctus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus fuliginosus Ardoïn, 1976: ARDOÏN (1976).
Macellocerus gibbipennis (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus griveaudi Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus heterocerus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus klugi Laporte, 1840: GEBIEN (1936ff).
Macellocerus laticornis Fairmaire, 1884: GEBIEN (1936ff).
Macellocerus longicornis Fairmaire, 1875: BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus lucidipennis Ardoïn, 1976: ARDOÏN (1976).
Macellocerus lucifugus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus marginicollis Ardoïn, 1976: ARDOÏN (1976).
Macellocerus mucronatus (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus ocellaris Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus olivaceus Ardoïn, 1976: ARDOÏN (1976).
Macellocerus opaculus Fairmaire, 1895: GEBIEN (1936ff).
Macellocerus pauliani Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus pectoralis (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus petiti Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus peyeriasi Ardoïn, 1976: ARDOÏN (1976).
Macellocerus politipennis (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus pulchripes (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus puncticeps (Bates, 1879): BATES (1879) as *Dolichoderus*, GEBIEN (1936ff).
Macellocerus ruguliceps Fairmaire, 1895: GEBIEN (1936ff).
Macellocerus solieri Gebien, 1911: GEBIEN (1936ff).
Macellocerus specolae Ferrer, 1998: FERRER (1998).
Macellocerus striatus Laporte, 1840: GEBIEN (1936ff).
Macellocerus stricticollis Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus subcyaneus Ardoïn, 1976: ARDOÏN (1976).
Macellocerus tibialis Ferrer, 1998: FERRER (1998).
Macellocerus viettei Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus villiersi Ardoïn, 1974: ARDOÏN (1974b).
Macellocerus violanii Ferrer, 1998: FERRER (1998).
Nycteropus abbreviatus Fairmaire, 1875: GEBIEN (1936ff).
Nycteropus anthracinus Klug, 1833: GEBIEN (1936ff).

Nycteropus attenuatus Fairmaire, 1905: GEBIEN (1936ff).
Nycteropus bicolor Fairmaire, 1895: GEBIEN (1936ff).
Nycteropus chalybaeus Fairmaire, 1903: GEBIEN (1936ff).
Nycteropus chrysochalceus Fairmaire, 1905: GEBIEN (1936ff).
Nycteropus coelestinus Fairmaire, 1868: GEBIEN (1936ff).
Nycteropus coeruleipes Fairmaire, 1894: GEBIEN (1936ff).
Nycteropus coloratus Fairmaire, 1903: GEBIEN (1936ff).
Nycteropus confusus Bates, 1879: GEBIEN (1936ff).
Nycteropus coquereli Fairmaire, 1868: GEBIEN (1936ff).
Nycteropus crassicollis Fairmaire, 1905: GEBIEN (1936ff).
Nycteropus ebeninus Klug, 1833: GEBIEN (1936ff).
Nycteropus laevisternus Fairmaire, 1877: BATES (1879), GEBIEN (1936ff).
Nycteropus obscurocupreus Fairmaire, 1903: GEBIEN (1936ff).
Nycteropus ovalis Laporte, 1840: GEBIEN (1936ff).
Nycteropus perrieri Fairmaire, 1903: GEBIEN (1936ff).
Nycteropus protensus Fairmaire, 1905: GEBIEN (1936ff).
Nycteropus resplendens Laporte, 1840: GEBIEN (1936ff).
Nycteropus rufipes Laporte, 1840: GEBIEN (1936ff).
Nycteropus seriatoporus Fairmaire, 1868: GEBIEN (1936ff).
Nycteropus splendidus Fairmaire, 1894: GEBIEN (1936ff).
Nycteropus subcyaneus Fairmaire, 1868: GEBIEN (1936ff).
Nycteropus suturatus Fairmaire, 1868: GEBIEN (1936ff).
Nycteropus virescens Fairmaire, 1868: GEBIEN (1936ff).
Chalcostylus perrieri Fairmaire, 1898: GEBIEN (1936ff).
Chalcostylus striolatus Fairmaire, 1906: GEBIEN (1936ff).

Lupropini

Antennoluprops andohahelae (Ferrer, 1998): FERRER (1998) as *Anaedus*, SCHAWALLER (2007).
Antennoluprops bremeri Schawaller, 2007: SCHAWALLER 2007.
Coxelinus colasi Ardoïn, 1956: ARDOÏN (1956b).
Coxelinus impressipennis Fairmaire, 1869: GEBIEN (1936ff), ARDOÏN (1956b).
Coxelinus nossibianus Ardoïn, 1956: ARDOÏN (1956b).
Coxelinus pauliani Ardoïn, 1956: ARDOÏN (1956b).
Coxelinus semiobscurus Ardoïn, 1956: ARDOÏN (1956b).
Coxelinus stricticollis Fairmaire, 1869: GEBIEN (1936ff), ARDOÏN (1956b).
Coxelinus subaeneus Ardoïn, 1956: ARDOÏN (1956b).
Enicmosoma crassicorne Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma decorsei Ardoïn, 1958: ARDOÏN (1958f).
 ssp. *haafi* Ardoïn, 1964: ARDOÏN (1964).
Enicmosoma gebieni Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma lineatum Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma nebulosum Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma nitens Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma punctatissimum Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma quadrimaculatum Ardoïn, 1958: ARDOÏN (1958f).
Enicmosoma vadoni Ardoïn, 1958: ARDOÏN (1958f).
Luprops hovanus Fairmaire, 1898: GEBIEN (1936ff), FERRER (1998).
Luprops madecassus (Chatanay, 1915): CHATANAY (1915) as *Lyprops*, GEBIEN (1936ff).
Microcalcar instriatus (Pic, 1925): GEBIEN (1936ff) as *Belopus*, ARDOÏN (1967), FERRER (1998).
Microcalcar pauliani Ardoïn, 1976: ARDOÏN (1976).

Cnodalonini

Actanorie impressipennis (Fairmaire, 1888): GEBIEN (1936ff), ARDOÏN (1956a) from *Callimaria*.
Actanorie longipennis Ardoïn, 1974: ARDOÏN (1974b), FERRER (1998).

- Actanorie obscuricollis* (Ardoïn, 1955): ARDOÏN (1955), ARDOÏN (1956a) from *Callimaria*.
- Actanorie puncticollis* Ardoïn, 1974: ARDOÏN (1974b), FERRER (1998).
- Actanorie sinuaticollis* (Pic, 1935): GEBIEN (1936ff), ARDOÏN (1956a) from *Callimaria*.
- Actanorie undaticollis* Fairmaire, 1875: GEBIEN (1936ff), ARDOÏN (1956a).
- Alcyonotus descarpentriesi* Ardoïn, 1955: ARDOÏN (1955).
- Amarsenes grandis* Fairmaire, 1889: GEBIEN (1936ff), ARDOÏN (1955).
- Amarsenes interstitialis* Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1955) (syn. *coerulans* Fairmaire, 1898).
- Amarsenes oblongocamelus* (Fairmaire, 1877): BATES (1879), GEBIEN (1936ff), ARDOÏN (1955).
- Asidobothris approximans* Fairmaire, 1898: KULZER (1951) from *Suarezius*.
- Asidobothris clathrata* Fairmaire, 1886: GEBIEN (1936ff), KULZER (1951).
- Asidobothris cupripennis* Kulzer, 1951: KULZER (1951).
- Asidobothris metallescens* Fairmaire, 1897: GEBIEN (1936ff), KULZER (1951) from *Suarezius*.
- Bradymerus aspericollis* Fairmaire, 1868: GEBIEN (1936ff).
- Bradymerus convexicollis* Fairmaire, 1898: GEBIEN (1936ff).
- Bradymerus scotti* Gebien, 1922: FERRER (1998).
- Camariodes aeneopurpureus* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes aeneus* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes alternicostis* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes costatipennis* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes cryptochromus* Ardoïn, 1955: ARDOÏN (1955), (1959a).
- Camariodes foveatus* Ardoïn, 1974: ARDOÏN (1974b).
- Camariodes foveipennis* Fairmaire, 1898: GEBIEN (1936ff), ARDOÏN (1959a).
- Camariodes griveaudi* Ardoïn, 1974: ARDOÏN (1974b).
- Camariodes helopioides* Klug, 1833: GEBIEN (1936ff); ARDOÏN (1959a), (1960a) (syn. *coquereli* Fairmaire, 1869).
- Camariodes laevis* Ardoïn, 1974: ARDOÏN (1974b).
- Camariodes lebis* Ardoïn, 1955: ARDOÏN (1955), (1959a).
- Camariodes longipennis* Ardoïn, 1955: ARDOÏN (1955), (1959a).
- Camariodes obscuroaeneus* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes opacicollis* Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1959a) (syn. *suturatus* Fairmaire, 1903).
- Camariodes pauliani* Ardoïn, 1959: ARDOÏN (1959a).
- Camariodes purpurascens* Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1959a).
- Camariodes rufitarsis* Klug, 1833: ARDOÏN (1959a), (1960a) (syn. *convexicollis* Fairmaire, 1899).
- Camariodes thoracicus* Coquerel, 1851: GEBIEN (1936ff).
- Camariodes vadoni* Ardoïn, 1955: ARDOÏN (1955), (1959a).
- Carabelops aenescens* Fairmaire, 1899: ARDOÏN (1956a).
- Carabelops billecocqui* (Fairmaire, 1901): GEBIEN (1936ff), ARDOÏN (1956a) from *Agraecus*.
- Carabelops blapoides* (Fairmaire, 1902): GEBIEN (1936ff), ARDOÏN (1956a) from *Agraecus*.
- Carabelops chalcoides* (Fairmaire, 1900): GEBIEN (1936ff), ARDOÏN (1956a) from *Agraecus*.
- Carabelops perrieri* (Fairmaire, 1902): GEBIEN (1936ff), ARDOÏN (1956a) from *Agraecus*.
- Carabelops semiaenescens* (Fairmaire, 1905): GEBIEN (1936ff), ARDOÏN (1956a) from *Agraecus*.
- Charianus antalahensis* Ardoïn, 1955: ARDOÏN (1955).
- Charianus buqueti* Coquerel, 1851: GEBIEN (1936ff), ARDOÏN (1955).
- Charianus nepos* (Fairmaire, 1901): ARDOÏN (1955) from *Amarsenes*.
- Charianus obscuratus* Fairmaire, 1894: GEBIEN (1936ff), ARDOÏN (1955).
- Charianus pierrei* Ardoïn, 1955: ARDOÏN (1955).
- Charianus purpuratus* (Coquerel, 1851): BATES (1879), GEBIEN (1936ff), ARDOÏN (1955) (syn. *cribricollis* Fairmaire, 1898 and *latecincta* Fairmaire, 1899).
- Charianus subangulatus* (Pic, 1933): ARDOÏN (1955) from *Porphyryha*.
- Charianus violaceipennis* Ardoïn, 1955: ARDOÏN (1955).
- Charianus viridipennis* (Pic, 1933): ARDOÏN (1955) from *Porphyryha*.
- Chatanayus fragilicornis* Ferrer, 1998: FERRER (1998) as *Chatanayum*.
- Chatanayus obscurus* (Chatanay, 1915): CHATANAY (1915) as *Holobrachys*; GEBIEN (1936ff); ARDOÏN (1957a), (1958a) from *Holobrachys*.
- Chatanayus purpurata* (Klug, 1833): ARDOÏN (1955) as *Porphyryha*, (1957a), (1958a) from *Holobrachys*, (1960a) (syn. *Chatanayus vicki* Fairmaire, 1901).
- Chatanayus spissicornis* Ferrer, 1998: FERRER (1998) as *Chatanayum*.
- Chatanayus villosipes* (Fairmaire, 1884): GEBIEN (1936ff), ARDOÏN (1957a), (1958a) from *Holobrachys*.
- Chemolanus alluaudi* Ardoïn, 1956: ARDOÏN (1956c).
- Chemolanus obscura* (Klug, 1833): BATES (1879); GEBIEN (1936ff); ARDOÏN (1955), (1956c) (all as *Droclaena*), (1960a), (1961a) (syn. *Chemolanus consobrinus* Fairmaire, 1868).
- Chemolanus froussarti* Ardoïn, 1955: ARDOÏN (1955), (1956c).
- Chemolanus humeralis* Ardoïn, 1955: ARDOÏN (1955), (1956c).
- Chemolanus kulzeri* Ardoïn, 1956: ARDOÏN (1956c).
- Chemolanus nitidipennis* Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), ARDOÏN (1956c).
- Chemolanus recticollis* Fairmaire, 1898: ARDOÏN (1956c).
- Damatrix acerbus* Coquerel, 1851: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix acidiferus* Coquerel; 1851: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix alluaudi* Ardoïn, 1958: ARDOÏN (1958b).
- Damatrix alternicolor* Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix balteatus* Coquerel, 1851: GEBIEN (1936ff); ARDOÏN (1955), (1958b) (var. *pseudobalteatus* Ardoïn, 1955).
- Damatrix bicolor* Fairmaire, 1898: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix brevis* Klug, 1833: BATES (1879) as *Tetraphyllus pyropterus*; Gebien (1936ff) (sub *pyropterus*); Ardoïn (1958b), (1960a) (syn. *pyropterus* Fairmaire, 1877).
- Damatrix camoena* Fairmaire, 1897: GEBIEN (1936ff); ARDOÏN (1955) (syn. *pyrrhozona* Fairmaire, 1898), (1958b).
- Damatrix clypealis* Fairmaire, 1896: GEBIEN (1936ff), ARDOÏN (1955, 1958b).
- Damatrix coquereli* Ardoïn, 1955: ARDOÏN (1955), (1958b).
- Damatrix cyaneostriatus* Fairmaire, 1896: GEBIEN (1936ff), ARDOÏN (1958b).
- ssp. *viridipennis* Ardoïn, 1967: ARDOÏN (1967).
- Damatrix deyrollei* Coquerel, 1851: GEBIEN (1936ff); ARDOÏN (1955) (syn. *cyanipennis* Fairmaire, 1895), (1958b).
- Damatrix distinguendus* Fairmaire, 1903: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix formosus* Laporte & Brullé, 1831: GEBIEN (1936ff), ARDOÏN (1958b).
- Damatrix janthinipennis* Ardoïn, 1974: ARDOÏN (1974b).

- Damatris lebisi* Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris lokobensis Ardoïn, 1958: ARDOÏN (1958b).
Damatris mirificus Coquerel, 1851: GEBIEN (1936ff), ARDOÏN (1958b).
Damatris mixticolor Ardoïn, 1976: ARDOÏN (1976).
Damatris oblongus Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris obscurus Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris parvicollis Fairmaire, 1898: GEBIEN (1936ff), ARDOÏN (1958b).
Damatris pauliani Ardoïn, 1958: ARDOÏN (1958b).
Damatris pici Ardoïn, 1955: ARDOÏN (1955), (1958b).
 ssp. *episcopalis* Ardoïn, 1967: ARDOÏN (1967).
Damatris pseudocamoena Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris ranomandryensis Ardoïn, 1976: ARDOÏN (1976).
Damatris rotundipennis Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris similis Fairmaire, 1899: Gebien (1936ff), ARDOÏN (1958b).
Damatris splendidus Laporte & Brullé, 1831: GEBIEN (1936ff), ARDOÏN (1958b) (var. *oberthueri* Ardoïn, 1955).
Damatris tristis Ardoïn, 1958: ARDOÏN (1958b).
Damatris tuberculipennis (Bates, 1879): BATES (1879) as *Tetraphyllus*; GEBIEN (1936ff); ARDOÏN (1955) (syn. *retrogranatus* Fairmaire, 1902), (1958b), (1974b).
Damatris vadoni Ardoïn, 1955: ARDOÏN (1955), (1958b), FERRER (1998).
Damatris viridicupreus Ardoïn, 1955: ARDOÏN (1955), (1958b).
Damatris zonulatus Fairmaire, 1901: GEBIEN (1936ff), ARDOÏN (1958b).
Drocleana aeneipennis Ardoïn, 1955: ARDOÏN (1955), (1961a).
Drocleana chalconota Klug, 1833: GEBIEN (1936ff); ARDOÏN (1955), (1960a), (1961a) (syn. *trapezicollis* Fairmaire, 1894).
Drocleana coerulescens Fairmaire, 1901: GEBIEN (1936ff), ARDOÏN (1961a).
 ssp. *fairmairei* Ardoïn, 1955: ARDOÏN (1955), (1961a).
 ssp. *grandicollis* Ardoïn, 1961: ARDOÏN (1961a).
 ssp. *inermipennis* Ardoïn, 1961: ARDOÏN (1961a).
Drocleana cottae Fairmaire, 1902: GEBIEN (1936ff), ARDOÏN (1961a), FERRER (1998).
Drocleana dolorosa Fairmaire, 1906: GEBIEN (1936ff), ARDOÏN (1961a).
Droclaena klugi Ardoïn, 1961: ARDOÏN (1961a).
 ssp. *spinipennis* Ardoïn, 1961: ARDOÏN (1961a).
Drocleana morio Ardoïn, 1955: ARDOÏN (1955), (1961a).
Droclaena oberthueri Ardoïn, 1961: ARDOÏN (1961a).
Drocleana obscurina Fairmaire, 1877: GEBIEN (1936ff), ARDOÏN (1961a).
Drocleana parallela Ardoïn, 1955: ARDOÏN (1955), (1961a).
Drocleana parvicollis Fairmaire, 1877: BATES (1879), GEBIEN (1936ff), ARDOÏN (1961a).
Drocleana passeti Fairmaire, 1894: GEBIEN (1936ff), ARDOÏN (1961a).
Drocleana puberula Ardoïn, 1961: ARDOÏN (1961a), FERRER (1998).
Drocleana tenuestriata Fairmaire, 1905: GEBIEN (1936ff), ARDOÏN (1961a).
Drocleana tuberculata Pic, 1917: GEBIEN (1936ff), ARDOÏN (1961a).
Drocleana violaceipennis Waterhouse, 1879: GEBIEN (1936ff), ARDOÏN (1961a).
 ssp. *nigricans* Ardoïn, 1961: ARDOÏN (1961a, 1976), FERRER (1998).
Droclaena vohemarensis Ardoïn, 1961: ARDOÏN (1961a).
Euthysternum attenuatum Fairmaire, 1902: GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum coquereli Fairmaire, 1868: GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum cyaneum Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum episcopale (Fairmaire, 1886): CHATANAY (1915), GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum houssayi Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), ARDOÏN (1957b).
 ssp. *aeneipennis* Ardoïn, 1967: ARDOÏN (1967).
Euthysternum milloti Ardoïn, 1957: ARDOÏN (1957b).
Euthysternum nitidipes Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum perrieri Fairmaire, 1901: GEBIEN (1936ff), ARDOÏN (1957b).
Euthysternum subviolaceum Fairmaire, 1895: ARDOÏN (1957b).
 ssp. *laeviceps* Fairmaire, 1902: GEBIEN (1936ff), ARDOÏN (1957b).
Falsocamariodes bourgini Ardoïn, 1958: ARDOÏN (1958c).
Falsocamariodes viettei Ardoïn, 1955: ARDOÏN (1955), (1958c).
Holobranchys chemolanoides Ardoïn, 1958: ARDOÏN (1958a).
Holobranchys fuscicornis Fairmaire, 1898: GEBIEN (1936ff), ARDOÏN (1958a).
Holobranchys granulatus Fairmaire, 1902: GEBIEN (1936ff), ARDOÏN (1958a).
Holobranchys haemorrhoidalis (Klug, 1833): ARDOÏN (1955), (1958a), (1960a) (syn. *Holobranchys minimus* Ardoïn, 1955).
Holobranchys heterocerus Fairmaire, 1869: GEBIEN (1936ff), ARDOÏN (1958a).
Holobranchys hispidus Ardoïn, 1958: ARDOÏN (1958a).
Holobranchys infimus Fairmaire, 1901: GEBIEN (1936ff), ARDOÏN (1958a).
Holobranchys laevis Ardoïn, 1958: ARDOÏN (1958a).
Holobranchys opacus Ardoïn, 1958: ARDOÏN (1958a).
Holobranchys punctatostriatus Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff), ARDOÏN (1958a).
Holobranchys rufipes Ardoïn, 1958: ARDOÏN (1958a).
Holobranchys sicardi Ardoïn, 1955: ARDOÏN (1955), (1958a).
Nannocerus madecassus Pic, 1916: GEBIEN (1936ff).
Neoporphyrhyba chatanayi (Ardoïn, 1955): ARDOÏN (1955), (1956a), (1957b) from *Porphyryba*.
Neoporphyrhyba cyaneocuprea (Fairmaire, 1894): GEBIEN (1936ff); ARDOÏN (1955), (1956a), (1957b) from *Porphyryba*.
Osternus alpinus Ardoïn, 1974: ARDOÏN (1974b).
Osternus alternatus Ardoïn, 1974: ARDOÏN (1974a).
 ssp. *opaculus* Ardoïn, 1974: ARDOÏN (1974a).
Osternus alternicolor (Ardoïn, 1955): ARDOÏN (1955) as *Pseudamarsenes*, (1974a).
Osternus batesi (Ardoïn, 1955): ARDOÏN (1955) as *Pseudamarsenes*, (1974a).
Osternus chalcophanus (Fairmaire, 1894): ARDOÏN (1955) as *Amarsenes*, (1974a) as *Pseudamarsenes*.
Osternus colasi (Ardoïn, 1955): ARDOÏN (1955) as *Pseudamarsenes*, (1974a).
Osternus hovanus Ardoïn, 1955: ARDOÏN (1955), (1974a).
Osternus iricolor Ardoïn, 1955: ARDOÏN (1955), (1974a).
Osternus marginatus Ardoïn, 1974: ARDOÏN (1974a).
Osternus maroantsetrensis (Ardoïn, 1955): ARDOÏN (1955) as *Pseudamarsenes*, (1974a).
Osternus metallicus (Pic, 1923): GEBIEN (1936ff) as *Microcalydonis*, ARDOÏN (1974a).
Osternus opacicollis Fairmaire, 1895: GEBIEN (1936ff), ARDOÏN (1974a).
Osternus suturatus (Ardoïn, 1955): ARDOÏN (1955) as *Pseudamarsenes*, (1974a).

Osternus punctatus Ardoïn, 1955: ARDOIN (1955), (1974a).
Osternus viossati Ardoïn, 1974: ARDOIN (1974a).
Paulianaria alternicostis Ardoïn, 1960: ARDOIN (1960c).
Paulianaria cariosicollis Ardoïn, 1960: ARDOIN (1960c).
Paulianaria mocquerysi Ardoïn, 1960: ARDOIN (1960c).
Paulianaria sogai Ardoïn, 1960: ARDOIN (1960c).
Paulianaria strongylioides Ardoïn, 1960: ARDOIN (1960c).
Porphyryha purpurata Klug, 1833: ARDOIN (1955).
Porphyryha violaceicolor Fairmaire, 1877: BATES (1879); GEBIEN (1936ff); ARDOIN (1955), (1956a) (syn. *Hybocaulus laticornis* Fairmaire, 1895), (1957b).
Proscorus camoena (Fairmaire, 1901): ARDOIN (1955) from *Porphyryha*.
Proscorus cyaneostriatus Fairmaire, 1901: GEBIEN (1936ff).
Pseudamarsenes chopardi Ardoïn, 1955: ARDOIN (1955).
Pseudamarsenes modestus (Fairmaire, 1895): ARDOIN (1955) from *Amarsenes*.
Pseudamarsenes purpureolimbatus Ardoïn, 1955: ARDOIN (1955).
Pseudamarsenes viridistriatus (Fairmaire, 1894): GEBIEN (1936ff), ARDOIN (1955) from *Amarsenes*, FERRER (1998).
Pseudocamaria alternata Fairmaire, 1875: GEBIEN (1936ff), ARDOIN (1955, 1958e).
Pseudocamaria consobrina Bates, 1879: BATES (1879), GEBIEN (1936ff), ARDOIN (1958e).
Pseudocamaria oblongula Fairmaire, 1875: GEBIEN (1936ff), ARDOIN (1958e).
Pseudocamaria perroti Ardoïn, 1955: ARDOIN (1955), (1958e).
Pseudoperichilus albolineatus Ardoïn, 1972: ARDOIN (1972).
Pseudoperichilus antongilensis Ardoïn, 1972: ARDOIN (1972).
Pseudoperichilus olivaceus Pic, 1921: GEBIEN (1936ff), ARDOIN (1972).
Pseudoperichilus vadoni Ardoïn, 1972: ARDOIN (1972).
Suarezius cavernosus Fairmaire, 1899: GEBIEN (1936ff), KULZER (1951).
Suarezius conformis Kulzer, 1951: KULZER (1951).
Suarezius confrater Brancsik, 1897: GEBIEN (1936ff), KULZER (1951).
Suarezius cupreolus Fairmaire, 1901: GEBIEN (1936ff), KULZER (1951).
Suarezius gibbosulus Fairmaire, 1895: GEBIEN (1936ff), KULZER (1951).
Suarezius ovipennis Fairmaire, 1902: GEBIEN (1936ff), KULZER (1951).
Suarezius sicardi Ardoïn, 1955: ARDOIN (1955).
Suarezius timarchoides Kulzer, 1951: KULZER (1951).
Suarezius vadoni Ardoïn, 1969: ARDOIN (1969b).
Sulpiosoma medquisti Ferrer, 2006: FERRER (2006).
Thettea tenuitarsis Bates, 1879: BATES (1879), GEBIEN (1936ff), ARDOIN (1976).
Trichodamatrix raffrayi Fairmaire, 1884: CHATANAY (1915), GEBIEN (1936ff), ARDOIN (1957a).

Laenini

Hovadelium aeneum Ardoïn, 1961: ARDOIN (1961b), (1974b).
Hovadelium discoidale Ardoïn, 1961: ARDOIN (1961b), FERRER (1998).
Hovadelium elongatum Ardoïn, 1976: ARDOIN (1976).
Mimolaena clarissae Ferrer, 1998: FERRER (1998).
Mimolaena pauliani Ardoïn, 1961: ARDOIN (1961b), (1974b).

Misolampini

Asididius convexicollis Fairmaire, 1906: GEBIEN (1936ff).
Asididius coquereli Fairmaire, 1869: GEBIEN (1936ff).

Carabelops aenescens Fairmaire, 1899: GEBIEN (1936ff).
Moromelas foveipennis Fairmaire, 1898: GEBIEN (1936ff).
Piloxys foveatus Fairmaire, 1895: GEBIEN (1936ff).
Piloxys perrieri Fairmaire, 1905: GEBIEN (1936ff).
Sphaerocaulus brevipes (Fairmaire, 1902): GEBIEN (1936ff) as *Osdara*, ARDOIN (1975).
Sphaerocaulus denticollis Ardoïn, 1975: ARDOIN (1975).
Sphaerocaulus descarpentriasi Ardoïn, 1976: ARDOIN (1976).
Sphaerocaulus echidna Fairmaire, 1906: GEBIEN (1936ff), ARDOIN (1975).
Sphaerocaulus graniger Fairmaire, 1869: GEBIEN (1936ff), ARDOIN (1975).
Sphaerocaulus granulatus Ardoïn, 1975: ARDOIN (1975).
Sphaerocaulus hovanus (Fairmaire, 1902): GEBIEN (1936ff) as *Osdara*, ARDOIN (1975).
Sphaerocaulus laevicollis Fairmaire, 1903: GEBIEN (1936ff), ARDOIN (1975).
Sphaerocaulus longipes Ardoïn, 1975: ARDOIN (1975).
Sphaerocaulus pauliani Ardoïn, 1974: ARDOIN (1974b), (1975).
Sphaerocaulus perrieri Fairmaire, 1902: GEBIEN (1936ff), ARDOIN (1975).
Sphaerocaulus pyriformis Ardoïn, 1975: ARDOIN (1975).
Sphaerocaulus rotundipennis Ardoïn, 1976: ARDOIN (1976).
Sphaerocaulus sogai Ardoïn, 1975: ARDOIN (1975).
Sphaerocaulus vadoni Ardoïn, 1975: ARDOIN (1975).

Marygmini

Hoplobrachium dentipes Fabricius, 1781: GEBIEN (1936ff).
Hovamarygmus insularis Fairmaire, 1898: GEBIEN (1936ff).
Sphaeromatrix aurovittata Fairmaire, 1899: GEBIEN (1936ff).

Strongyliini

Anarmastodera acutipennis Ardoïn, 1960: ARDOIN (1960b).
Anarmastodera aenea Ardoïn, 1960: ARDOIN (1960b).
Anarmastodera crassicornis Fairmaire, 1897: GEBIEN (1936ff), ARDOIN (1960b).
Anarmastodera sicardi Ardoïn, 1960: ARDOIN (1960b).
Anarmastodera vadoni Ardoïn, 1960: ARDOIN (1960b).
Apterogena canonnei Ardoïn, 1962: ARDOIN (1962).
Asthenopoda acutipennis Fairmaire, 1869: GEBIEN (1936ff).
Asthenopoda fragilis Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Asthenopoda villosipes Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca aenescens Fairmaire, 1869: GEBIEN (1936ff).
Hyperchalca apicalis Pic, 1935: GEBIEN (1936ff).
Hyperchalca armata Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca fuscoaenea Fairmaire, 1894: GEBIEN (1936ff).
Hyperchalca humbloti Fairmaire, 1894: GEBIEN (1936ff).
Hyperchalca levyi Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca lucida Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca nigra Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca nitidicollis Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca rudicollis Fairmaire, 1902: GEBIEN (1936ff).
Hyperchalca rufiventris Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Hyperchalca sikorai Pic, 1935: GEBIEN (1936ff).
Hyperchalca viridipennis Ardoïn, 1974: ARDOIN (1974b).
Mictopsis laticollis Fairmaire, 1899: GEBIEN (1936ff).

- Mictopsis longicornis* Pic, 1917: GEBIEN (1936ff).
Miotodera funeraria Fairmaire, 1901: GEBIEN (1936ff).
Nesogena aeneipennis Fairmaire, 1868: CHATANAY (1915), GEBIEN (1936ff).
Nesogena andringitrensis Ardoïn, 1974: ARDOIN (1974b).
Nesogena ardoïni Froussart, 1961: FROUSSART (1961).
Nesogena basicollis Fairmaire, 1903: GEBIEN (1936ff), FROUSSART (1961).
Nesogena batesi Fairmaire, 1875: GEBIEN (1936ff), FROUSSART (1961).
Nesogena bourgini Froussart, 1961: FROUSSART (1961).
Nesogena brittoni Froussart, 1961: FROUSSART (1961).
Nesogena caeruleata Fairmaire, 1896: GEBIEN (1936ff).
Nesogena castaneipes Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena chopardi Froussart, 1961: FROUSSART (1961).
Nesogena colasi Froussart, 1961: FROUSSART (1961).
Nesogena convexa Froussart, 1961: FROUSSART (1961).
Nesogena coquereli Fairmaire, 1868: GEBIEN (1936ff).
Nesogena croesus Bates, 1879: GEBIEN (1936ff).
Nesogena cyanescens Fairmaire, 1899: GEBIEN (1936ff).
Nesogena cyanipennis Fairmaire, 1906: GEBIEN (1936ff), FROUSSART (1961).
Nesogena descarpentriasi Froussart, 1961: FROUSSART (1961).
Nesogena dimorpha Froussart, 1961: FROUSSART (1961).
Nesogena episcopalis Fairmaire, 1875: GEBIEN (1936ff), FROUSSART (1961) (syn. *violacea* Fairmaire, 1903).
Nesogena fairmairei Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena fastidiosa Fairmaire, 1894: GEBIEN (1936ff).
Nesogena femorata Froussart, 1961: FROUSSART (1961).
Nesogena flavicrus Ardoïn, 1974: ARDOIN (1974b).
Nesogena flavipes Froussart, 1961: FROUSSART (1961).
Nesogena geniculata Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena gigantea Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena goudoti Fairmaire, 1868: GEBIEN (1936ff), FROUSSART (1961).
Nesogena griveaudi Ardoïn, 1976: ARDOIN (1976).
Nesogena guerini Coquerel, 1851: GEBIEN (1936ff), FROUSSART (1961).
Nesogena haagi Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961) (syn. *cottae* Fairmaire, 1899).
Nesogena humerosa Fairmaire, 1894: GEBIEN (1936ff), ARDOIN (1974b).
Nesogena hybrida Mäklin, 1863: GEBIEN (1936ff).
Nesogena hypocyanea Fairmaire, 1899: GEBIEN (1936ff).
Nesogena intermedia Fairmaire, 1875: GEBIEN (1936ff).
Nesogena iodolimbata Fairmaire, 1868: GEBIEN (1936ff), FROUSSART (1961).
Nesogena lebisi Froussart, 1961: FROUSSART (1961).
Nesogena longicornis Fairmaire, 1895: FROUSSART (1961).
Nesogena longula Pic, 1909: GEBIEN (1936ff).
Nesogena lucida Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena micanticollis Fairmaire, 1896: GEBIEN (1936ff).
Nesogena minima Froussart, 1961: FROUSSART (1961).
Nesogena monticola Ardoïn, 1974: ARDOIN (1974b).
Nesogena oberthueri Froussart, 1961: FROUSSART (1961).
Nesogena obscuricollis Froussart, 1961: FROUSSART (1961).
Nesogena obscurina Fairmaire, 1899: GEBIEN (1936ff), FROUSSART (1961).
Nesogena obscuripes Fairmaire, 1894: GEBIEN (1936ff).
Nesogena obscurovirens Fairmaire, 1906: GEBIEN (1936ff), FERRER (1998).
Nesogena parallela Froussart, 1961: FROUSSART (1961).
Nesogena parvicollis Fairmaire, 1875: GEBIEN (1936ff).
Nesogena pauliani Froussart, 1961: FROUSSART (1961).
Nesogena pierrei Froussart, 1961: FROUSSART (1961).
Nesogena rufimembris Fairmaire, 1899: CHATANAY (1915), GEBIEN (1936ff).
Nesogena rufiventris Fairmaire, 1875: GEBIEN (1936ff), FROUSSART (1961), FERRER (1998).
Nesogena rutilia Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena seguyi Froussart, 1961: FROUSSART (1961).
Nesogena speciosa Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena striata Froussart, 1961: FROUSSART (1961).
Nesogena subaenea Froussart, 1961: FROUSSART (1961).
Nesogena superba Froussart, 1961: FROUSSART (1961).
Nesogena suturata Fairmaire, 1895: GEBIEN (1936ff), FROUSSART (1961).
Nesogena testaceipes Fairmaire, 1868: GEBIEN (1936ff).
Nesogena vadoni Froussart, 1961: FROUSSART (1961).
Nesogena varians Fairmaire, 1875: GEBIEN (1936ff).
Nesogena varicolor Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena venusta Bates, 1879: BATES (1879), GEBIEN (1936ff), FROUSSART (1961).
Nesogena viettei Froussart, 1961: FROUSSART (1961).
Nesogena viridiceps Pic, 1909: GEBIEN (1936ff).
Nesogena viridicoerulea Froussart, 1961: FROUSSART (1961).
Nesogena viridicuprea Fairmaire, 1868: CHATANAY (1915), GEBIEN (1936ff).
Nesogena viridis Froussart, 1961: FROUSSART (1961).
Praeugena longipennis Fairmaire, 1889: GEBIEN (1936ff).
Praeugena nobilis Mäklin, 1863: GEBIEN (1936ff) as *P. purpurina* Fairmaire, 1868.
Pseudogena alternans Fairmaire, 1903: GEBIEN (1936ff).
Pseudogena bitincta Fairmaire, 1902: GEBIEN (1936ff).
Pseudogena inaequalis Fairmaire, 1902: GEBIEN (1936ff).
Pseudogena laevestriata Fairmaire, 1901: GEBIEN (1936ff).
Pseudogena lucidicollis Fairmaire, 1884: CHATANAY (1915), GEBIEN (1936ff), FERRER (1998).
Pseudogena polyzona Fairmaire, 1899: GEBIEN (1936ff).
Pseudogena semiopaca Fairmaire, 1905: GEBIEN (1936ff).
Pseudogena spinipes Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Pseudogena tenuestriata Chatanay, 1915: CHATANAY (1915), GEBIEN (1936ff).
Psilonosogena descarpentriasi Ardoïn, 1974: ARDOIN (1974b).
Psilonosogena hybrida Bates, 1879: BATES (1879), CHATANAY (1915), GEBIEN (1936ff).
Strongylium aenescens Fairmaire, 1902: GEBIEN (1936ff).
Strongylium cupripenne Mäklin, 1864: CHATANAY (1915), FERRER (1998).
Strongylium fuscoaenescens Fairmaire, 1906: GEBIEN (1936ff).
Strongylium madagascariense Gebien, 1943: GEBIEN (1936ff) (syn. *interstitiale* Fairmaire, 1903).
Strongylium purpureipenne Mäklin, 1864: GEBIEN (1936ff).
Strongylium rudicolle Fairmaire, 1868: GEBIEN (1936ff).
Strongylium semipurpureum Fairmaire, 1895: GEBIEN (1936ff).
Strongylium testaceicorne Pic, 1920: GEBIEN (1936ff).

3 References

- ARDOIN, P. (1955): Diagnoses sommaires de Ténébrionides malgaches. – Bulletin de la Société entomologique de France **60**: 129–144, 149–162.
- ARDOIN, P. (1956a): Contribution à l'étude des Ténébrionides malgaches. Note synonymique. – Bulletin de la Société entomologique de France **61**: 89–91.
- ARDOIN, P. (1956b): Le genre *Coxelinus* Fairmaire (Coleoptera Tenebrionidae, Heterotarsini). – Le Naturaliste malgache **8**: 51–63.
- ARDOIN, P. (1956c): Contribution à l'étude des Ténébrionides malgaches. Le genre *Chemolanus* Bates. – Le Naturaliste malgache **8**: 189–201.
- ARDOIN, P. (1957a): Contribution à l'étude des Tenebrionidae malgaches (2^e note). – Le Naturaliste malgache **9**: 61–69.
- ARDOIN, P. (1957b): Contribution à l'étude des Tenebrionidae malgaches (3^e note). – Le Naturaliste malgache **9**: 213–246.
- ARDOIN, P. (1958a): Contribution à l'étude des Ténébrionides malgaches. Le genre *Holobrachys* Fairmaire (Coleoptera). – Mémoires de l'Institut scientifique de Madagascar (Série E) **9**: 39–62.
- ARDOIN, P. (1958b): Contribution à l'étude des Ténébrionides malgaches. Le genre *Damatris* Laporte. – Mémoires de l'Institut scientifique de Madagascar (Série E) **9**: 63–118.
- ARDOIN, P. (1958c): Contribution à l'étude des Ténébrionides malgaches. Le genre *Falsocamariodes* Ardoin. – Le Naturaliste malgache **10**: 55–59.
- ARDOIN, P. (1958d): Contribution à l'étude des Ténébrionides malgaches. Le genre *Cedrosius* Fairmaire. – Le Naturaliste malgache **10**: 61–65.
- ARDOIN, P. (1958e): Contribution à l'étude des Ténébrionides malgaches. Le genre *Pseudocamaria* Bates. – Le Naturaliste malgache **10**: 67–74.
- ARDOIN, P. (1958f): Contribution à l'étude des Ténébrionides malgaches. Le genre *Enicmosoma* Gebien. – Bulletin de l'Académie malgache (nouvelle Série) **35** (1957): 59–77.
- ARDOIN, P. (1959a): Contribution à l'étude des Ténébrionides malgaches. Le genre *Camariodes* Fairmaire (Coleoptera). – Mémoires de l'Institut scientifique de Madagascar (Série E) **11**: 75–102.
- ARDOIN, P. (1959b): Contribution à l'étude des Ténébrionides malgaches. Genres *Astalbus* Fairm. et *Prolabrus* Fairm. – Le Naturaliste malgache **11**: 87–93.
- ARDOIN, P. (1960a): Contribution à l'étude des Ténébrionides malgaches. Note synonymique. – Le Naturaliste malgache **12**: 85–87.
- ARDOIN, P. (1960b): Contribution à l'étude des Ténébrionides malgaches. Le genre *Anarmostodera* Fairmaire. – Le Naturaliste malgache **12**: 89–96.
- ARDOIN, P. (1960c): Contribution à l'étude des Ténébrionides malgaches. Le genre *Paulianaria* nov. – Le Naturaliste malgache **12**: 97–106.
- ARDOIN, P. (1961a): Contribution à l'étude des Ténébrionides malgaches. Le genre *Drocleana* Bates (Coleoptera). – Mémoires de l'Institut scientifique de Madagascar (Série E) **12**: 27–51.
- ARDOIN, P. (1961b): Deux nouveaux genres d'Adeliini malgaches. – Bulletin de l'Académie malgache (nouvelle Série) **37** (1959): 31–38.
- ARDOIN, P. (1962): Ténébrionides africaines et malgaches nouveaux et notes synonymiques (Col.). – Bulletin de la Société entomologique de France **67**: 58–79.
- ARDOIN, P. (1964): Contribution à l'étude du genre *Enicmosoma* Geb. (Col. Tenebrionidae). – Entomologische Arbeiten aus dem Museum G. Frey **15**: 686–690.
- ARDOIN, P. (1965): Le genre *Ozaenimorphus* Fairmaire (Col. Tenebrionidae). – Bulletin de la Société entomologique de France **70**: 274–282.
- ARDOIN, P. (1967): Nouvelles espèce et sous-espèces de Ténébrionides de Madagascar (Col.). – Bulletin de la Société entomologique de France **72**: 179–182.
- ARDOIN, P. (1969a): Tenebrionidae récoltés par Mr. L. BIGOT dans le sud-ouest de Madagascar. – Annales de la Société entomologique de France (nouvelle Série) **5**: 461–468.
- ARDOIN, P. (1969b): Une nouvelle espèce de Ténébrionide malgache (Col.). – Bulletin de la Société entomologique de France **74**: 32–34.
- ARDOIN, P. (1970): Les espèces d'*Hypophloeus* récoltées par M. le Prof. Dr. KARL E. SCHEDL à Madagascar (Col. Tenebrionidae). – Bulletin de la Société entomologique de France **75**: 191–193.
- ARDOIN, P. (1971): Contribution à l'étude des espèces africaines et malgaches du genre *Anemia* Laporte (Col. Tenebrionidae). – Annales de la Société entomologique de France (nouvelle Série) **7**: 357–422.
- ARDOIN, P. (1972): Contribution à l'étude des Tenebrionidae malgaches: Le genre *Pseudoperichilus* Pic (Col.). – Bulletin de la Société entomologique de France **77**: 270–275.
- ARDOIN, P. (1974a): Contribution à l'étude des Tenebrionidae malgaches (Col.): Le genre *Osternus* Fairmaire. – Bulletin de la Société entomologique de France **79**: 17–26.
- ARDOIN, P. (1974b): Les Tenebrionidae du massif de l'Andringitra Madagascar Centre (I) (Col.). – Annales de la Société entomologique de France (nouvelle Série) **10**: 161–205 [title page misprinted as vol. 6, 1970].
- ARDOIN, P. (1975): Contribution à l'étude des Tenebrionidae (Col.) malgaches. Le genre *Sphaerocaulus* Fairmaire. – Annales de la Société entomologique de France (nouvelle Série) **11**: 659–678.
- ARDOIN, P. (1976): Les Tenebrionidae des Chaines Anosyennes Madagascar sud-est (I) (Coleoptera). – Annales de la Société entomologique de France (nouvelle Série) **12**: 3–29.
- BATES, F. (1879): Descriptions of new genera and species of Tenebrionidae from the Island of Madagascar. – Transactions of the entomological Society of London **1879**: 277–307.
- BOUCHARD, P., LAWRENCE, J.F., DAVIES, A. & NEWTON, A.F. (2005): Synoptic classification of the World Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. – Annales zoologici **55**: 499–530.
- BREMER, H. J. (1985): Revision der Hypophloeini der aethiopischen Region (Coleoptera, Tenebrionidae). I. Die *Corticeus*-Arten der madegassischen Subregion. – Entomologische Arbeiten aus dem Museum G. Frey **33/34**: 231–290.
- BREMER, H. J. (1987): Revision der Hypophloeini der aethiopischen Region (Coleoptera, Tenebrionidae). II. Anmerkungen zu und Neubeschreibungen von *Corticeus*-Arten der madegassischen Subregion. – Mitteilungen der Münchner entomologischen Gesellschaft **77**: 33–49.
- BREMER, H. J. (1995): Revision der Hypophloeini der aethiopischen Region. Pars III: Die Arten des genus *Corticeus* Piller et Mitterpacher, 1783, der subsaharischen Region sowie Beschreibung einer neuen *Corticeus*-Art aus Madagascar (Coleoptera: Tenebrionidae). – Entomofauna, Supplement **7**: 1–288.
- BREMER, H. J. (1997): Neue Gnathidiini der Gattungen *Anomobates* Koch, 1956, *Gnathidium* Gebien, 1920, *Menimus*

- Sharp, 1876 und *Micropeneta* Pic, 1921 (Coleoptera, Tenebrionidae). – Entomofauna **18**: 61–72.
- BREMER, H. J. (2000): Die Gattung *Caecochares* Koch, 1956 mit Beschreibung neuer Taxa (Coleoptera, Tenebrionidae, Gnathidiini, Gnathidiina). – Entomofauna **21**: 77–104.
- CHATANAY, J. (1915): Ténébrionides de Mahatsinjo (Madagascar) (Coleopt. Tenebrionidae). – Annales de la Société entomologique de France **83** (1914): 458–554.
- DAJOZ, R. (1972): Nouveaux Coléoptères Tenebrionidae endogés. – Revue d'Ecologie et de Biologie du Sol **9**: 273–280.
- DAJOZ, R. (1977): Deux nouveaux Gnathidiini de Madagascar (Col. Tenebrionidae). – Bulletin de la Société entomologique de France **82**: 78–79.
- DAJOZ, R. (1979): Coléoptères de Madagascar. I. Description de deux nouveaux *Brachymoschium* Fairmaire (Tenebrionidae). – Bulletin de la Société entomologique de France **84**: 174–176.
- DAJOZ, R. (1982): Coléoptères de Madagascar. VI. Quelques espèces nouvelles de Tenebrionidae. – Bulletin de la Société entomologique de France **87**: 73–77.
- DAJOZ, R. (1985): Coléoptères de Madagascar. 9. Description d'un *Brachymoschium* nouveau et clé de détermination des espèces du genre (Coleoptères, Tenebrionidae). – Bulletin mensuel de la Société Linnéenne de Lyon **54**: 101–104.
- DAJOZ, R. (1994): Espèces nouvelles et localités nouvelles de Coléoptères Tenebrionidae, Colydiidae, Cerylonidae et Erotylidae de Madagascar. – Nouvelle Revue d'Entomologie (nouvelle Série) **11**: 165–184.
- FERREIRA, M. C. (1955): Contribution à l'étude des Stenosini d'Afrique du Sud et de Madagascar (Coléoptères). – Le Naturaliste malgache **4** (1952): 145–153.
- FERRER, J. (1998): Contribution à la connaissance des Tenebrionidae de Madagascar (Insecta, Coleoptera). – Entomofauna **19**: 353–404.
- FERRER, J. (2000a): Nouvelles espèces de *Gonocephalum* Solier, 1834 et de *Pachypterus* Lucas, 1849 du Kenya et de Madagascar (Coleoptera, Tenebrionidae, Opatrini). – Zoosystema **22**: 825–833.
- FERRER, J. (2000b): Révision des espèces africaines et européennes appartenant au genre *Gonocephalum* Solier (Coleoptera, Tenebrionidae, Opatrini). Troisième partie. – Atti del Museo civico di Storia naturale Trieste **48**: 69–153.
- FERRER, J. (2002): Description of a new species of *Styphacus* Fairmaire, 1901 (Coleoptera: Tenebrionidae: Platynotini). – Annales zoologici **52**: 379–381.
- FERRER, J. (2006): Description d'un nouveau genre et d'une nouvelle espèce de *Sulpisus* de Madagascar avec des commentaires sur la systématique des Praeugenini (Coleoptera, Tenebrionidae, Coelometopinae). – Nouvelle Revue d'Entomologie (nouvelle Série) **23**: 79–83.
- FROUSSART, P. (1961): Le genre *Nesogena* Mäklin. – Mémoires de l'Institut scientifique de Madagascar (Série E) **12**: 53–125.
- GEBIEN, H. (1936ff): Katalog der Tenebrioniden (Col. Heteromera). – Teil 1: Pubblicazioni del Museo entomologico "Pietro Rossi" Udine **2** (1936), pp. 505–883. – Teil 2: Mitteilungen der Münchner entomologischen Gesellschaft **28–32** (1938–1942), pp. 370–744. – Teil 3: Mitteilungen der Münchner entomologischen Gesellschaft **32–34** (1942–1944), pp. 746–899.
- GOMY, Y. (2004): *Corticeus gomyi* Bremer, 1995, espèce nouvelle pour l'île de la Réunion (Coleoptera, Tenebrionidae). – Nouvelle Revue d'Entomologie (nouvelle Série) **21**: 386.
- HALSTEAD, D. G. H. (1967): A revision of the genus *Palorus* (sens. lat.) (Coleoptera: Tenebrionidae). – Bulletin of the British Museum (natural History), Entomology **19**: 61–148.
- HINTON, H. E. (1948): A synopsis of the genus *Tribolium* Macleay, with some remarks on the evolution of its species-groups (Coleoptera, Tenebrionidae). – Bulletin of entomological Research **39**: 13–55.
- IWAN, D. (1995a): A revision of the genus *Zidalus* Mulsant et Rey, 1856 (Coleoptera: Tenebrionidae: Platynotini). – Genus **6**: 359–400.
- IWAN, D. (1995b): A Madagascan genus *Lechius* gen. nov. (Coleoptera: Tenebrionidae: Platynotini). – Genus **6**: 401–414.
- IWAN, D. (1996): Revision of the genera of the newly-established group of Madagascan melanocratoid Platynotina (Coleoptera: Tenebrionidae: Platynotini). – Genus **7**: 379–449.
- IWAN, D. (1998): *Hovademulus madagascariensis* sp. nov. from Madagascar (Coleoptera: Tenebrionidae: Platynotini). – Genus **9**: 331–335.
- IWAN, D. (1999): Two new species of *Sebastianus* Iwan, 1996 from Madagascar (Coleoptera: Tenebrionidae: Platynotini). – Genus **10**: 381–394.
- IWAN, D. (2001): Systematics of the Madagascan genera *Clastopus* Fairmaire, 1898 and *Lechius* Iwan, 1995 (Coleoptera: Tenebrionidae: Platynotini). – Annales zoologici **51**: 497–504.
- IWAN, D. (2002): Catalogue of the World Platynotini (Coleoptera: Tenebrionidae). – Genus **13**: 219–323.
- IWAN, D. (2004a): A review of Malagasy genus *Styphacus* Fairmaire, 1901 (Coleoptera: Tenebrionidae: Platynotini). – Annales zoologici **54**: 403–420.
- IWAN, D. (2004b): A review of Malagasy genus *Phylacinus* Fairmaire, 1896 (Coleoptera: Tenebrionidae: Platynotini). – Annales zoologici **54**: 767–773.
- IWAN, D. (2005): A new species of *Clastopus* Fairmaire, 1898 from Madagascar, with notes on the known first-stage larvae (Coleoptera: Tenebrionidae: Pedinini: Platynotina). – Annales zoologici **55**: 23–27.
- KOCH, C. (1956): Recherches sur la faune endogée de Madagascar. IV. Les Tenebrionidae de l'Afrique du Sud. XXVII. Nouveaux Gnathidiini anophthalmes de Madagascar (Coleoptera). – Le Naturaliste malgache **8**: 81–103.
- KOCH, C. (1962): Analysis of the Madagascan components of the subfamily Tentyriinae (Tenebrionidae, Coleoptera) with revisions of the generic systematics of the Asidini from Africa south of the Sahara and the African, Asiatic and Palaearctic Epitragina of Tentyriini. – Mémoires de l'Institut scientifique de Madagascar (Série E) **13**: 1–145.
- KOCH, C. (1968): Notes on some new species of the Stizopina, genus *Sulpisus* from Madagascar (1) (Col. Tenebrionidae). – Annales de la Société entomologique de France (nouvelle Série) **4**: 173–183.
- KULZER, H. (1951): Vierter Beitrag zur Kenntnis der Tenebrioniden. – Entomologische Arbeiten aus dem Museum G. Frey **2**: 116–127.
- MERKL, O. & KOMPANTZEVA, T. V. (1996): Old world *Rhipidandrus* Leconte: Synonymies, faunistics, identification key and description of two new species from Australia (Coleoptera: Tenebrionidae). – Acta Zoologica Academiae scientiarum hungaricae **42**: 89–109.
- SCHAWALLER, W. (2004): The genus *Platydema* Laporte & Brullé in Africa south of the Sahara and adjacent islands (Coleoptera, Tenebrionidae). – Annals of the Transvaal Museum **41**: 1–27.
- SCHAWALLER, W. (2007): *Antennoluprops bremeri*, gen. nov., spec. nov. from Madagascar, with remarkable male antennal and tibial morphology (Insecta, Coleoptera, Tenebrionidae, Lupropini). – Spixiana **30**: 29–32.

Author's address:

Dr. WOLFGANG SCHAWALLER, Staatliches Museum für Naturkunde, Rosenstein 1, 70191 Stuttgart, Germany;
e-mail: schawaller.smns@naturkundemuseum-bw.de

Manuscript received: 4.IX.2009, accepted: 30.XI.2009.

